

24V±20% DC  
220V±20% AC      50Hz / 60Hz

K E S B J T R N  
-15 +60 ±2  
Pt100 Cu100 Cu50 BA1 BA2  
/  
0/4 20mA 0 10mA  
0 20mV 0 75mV 0 100mV 0/1

5V  
0 400  
100

DC 24V±10%  
0/4 20mA 0 10mA  
0/1 5V  
RS485  
0/4 20mA R<sub>L</sub>      10mA R<sub>L</sub>  
0/1 5V R<sub>L</sub>

MODBUS-RTU

0.2%F.S  
4      8

0.1      1














/  
/  
/  
/  
/ /

-10 +60  
+70











|        |   |   |   |   |   |   |   |   |   |             |
|--------|---|---|---|---|---|---|---|---|---|-------------|
|        |   |   |   |   |   |   |   |   |   |             |
| NPXM - | □ | □ | □ | □ | □ | □ | □ | □ | □ |             |
|        | 2 |   |   |   |   |   |   |   |   |             |
|        | 4 |   |   |   |   |   |   |   |   |             |
|        | 0 |   |   |   |   |   |   |   |   |             |
|        | 1 |   |   |   |   |   |   |   |   |             |
|        | 2 |   |   |   |   |   |   |   |   |             |
|        | 0 |   |   |   |   |   |   |   |   |             |
|        | 1 |   |   |   |   |   |   |   |   | 4~20mA      |
|        | 2 |   |   |   |   |   |   |   |   | 1~5V        |
|        |   |   |   |   |   |   |   |   |   | 0~10mA      |
|        | 4 |   |   |   |   |   |   |   |   | 0~5V        |
|        | 5 |   |   |   |   |   |   |   |   | 0~20mA      |
|        | 0 |   |   |   |   |   |   |   |   |             |
|        | 1 |   |   |   |   |   |   |   |   | 2           |
|        | 2 |   |   |   |   |   |   |   |   | 4           |
|        |   |   |   |   |   |   |   |   |   |             |
|        | P |   |   |   |   |   |   |   |   | 24V         |
|        |   |   |   |   |   |   |   |   |   |             |
|        |   |   |   |   |   |   |   |   |   |             |
|        | T |   |   |   |   |   |   |   |   | RS485       |
|        |   |   |   |   |   |   |   |   |   | 220V AC     |
|        | D |   |   |   |   |   |   |   |   | 24V DC      |
|        |   |   |   |   |   |   |   |   |   | 0           |
|        |   |   |   |   |   |   |   |   |   | 1           |
|        |   |   |   |   |   |   |   |   |   | 2           |
|        |   |   |   |   |   |   |   |   |   |             |
|        |   |   |   |   |   |   |   |   |   | 4           |
|        |   |   |   |   |   |   |   |   |   | 5 72×72×102 |
|        |   |   |   |   |   |   |   |   |   | 6 48×48×110 |





x x




x x




x x 7




× × 48×48×110mm



x x



x x



× × 72×72×102mm

